

- 1. Scope: To be used by health care workers during surveillance activities in the containment zones.
- 2. Purpose: This document describes information about what precautions need to be taken during surveillance activities in the containment zones/ Survey areas

3. Responsibilities:

- Quality/ Certified PPE Kits to be used by the health care worker during the surveillance
- Proper disposal of biomedical waste in the designated biohazard bags provided.

4. Materials required:

N95 Masks, PPE Kits, Nitrile gloves, Alcohol based hand sanitizer, 70% alcohol swabs,1% hypochlorite, Biohazard yellow bags.

5. General Measures:

- To carry 'thermal scanners' to check temperature of the participants.
- To Carry hand sanitizers and use as frequently as possible.
- Ensure that finger nails are clean, short and restrict usage of ornaments/wrist watch in the survey process.
- To Use alcohol based hand sanitizer or soap water for 20-40 seconds before wearing gloves
- Do not touch your eyes, nose and mouth while in the survey process
- Use of N95 mask or triple layered surgical mask to cover nose and mouth is mandatory
- To Wear Nitrile gloves while filling questionnaire and consent form
- To Use goggles or face shield while interacting with the participants or filling questionnaire
- To Maintain a safe distance of 6 feet during interaction with the participants
- To advice and recommend the participants to use face mask throughout the interaction
- To provide hand sanitizer to the participant before signing consent form.
- Encourage the participants to keep hands away from nose, eyes and mouth
- Lab Tech/ANM, to use sanitizer for hand hygiene before handling every participant.

icma NIN CONTRACTOR OF THE PROPERTY OF THE PRO		ICMR-National Institute Of Nutrition		SOP Number:
Title	SOP for health care wactivities in the conta	orkers during and after end inment zones	l of surveillance	COVID19 / 02
Version 1.0	Prepared:09.06.2020	Effective from:10.06.2020	Valid upto: 31.12.2020	Page 2 of 3

- ANM / lab technician is advised to wear complete PPE kit in the field (i.e body cover, head cover, goggles, face mask and hand gloves)
- Cleaning of pen, ID Card using alcohol based cotton swipe at the end of survey, on each day should be done
- Each team member is advised not to touch any surfaces or objects in the survey area.
- Follow Biomedical Waste Management-2016 guidelines, to discard waste in yellow bags
- Every surveillance team member to carry his/her own water bottle, food, reusable and washable carry bags
- Use Cap/ Hat/ Umbrella to protect against extreme heat/rain.
- To Carry ICMR-NIN Identity Card always and show/display on demand.
- To Carry all Surveillance related approval copies like DG, ICMR-NIN Letter/National ethics committee/state health authority approval copy etc
- To download Aarogya Setu app and advise participants to download the app.
- There should not be gathering of 5 or more persons at a time in the survey area.


Special Measures

a) Lab Technician/Auxiliary Nurse Midwife:

- To wear complete PPE kit(body cover, head cover, goggles, face shield, face mask and hand gloves) while procuring blood samples from the participants
- To wear new/separate nitrile hand gloves for each participant
- To Use new tourniquet for each participant or disinfect tourniquet every time before using it for the next participant

b) Participants

- To use their own pen to sign the consent form
- Other family members to maintain minimum 6 feet distance while interaction with survey team members
- If sneezing/coughing, maintain distance more than 6 feet and follow procedures to prevent spread to survey team/other people.



6. Vehicle & Driver

- Each vehicle must be sanitized with 1% sodium hypochloride solution or any appropriate chemical disinfectant before departure and after arrival every day to the head quaters
- Vehicle driver to be provided with mask, gloves and sanitizer.
- Vehicle driver to be followed through telephone upto 14 days for symptoms like fever, cough, and breathing difficulty, if any
- 7. Hydroxychloroquine (HCQ) tablet may be used as prophylactic agent in asymptomatic front line workers as per latest ICMR guidelines.
- 8. In case, any field surveillance worker becomes symptomatic (fever, cough, breathing difficulty) within 14 days after survey, they should inform Director, get tested and follow standard protocol as per National/ICMR guidelines.
- 9. Self monitoring by health care workers for a period of 14 days after last potential exposure to be done. No exclusion from duty needed.

	Prepared By	Reviewed By	Approved By
Signature		P.129	(x)
Date	10.06 2020	10/6/2020	10° 16
Name	Dr Santosh Kumar B	Dr P Uday Kumar	Dr. Hemalatha R
Designation	Scientist C	Scientist G	Director, ICMR-NIN